Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1 .	2	"5586301".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:04
S2 .	886	711/113.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:10
S3	381	711/113.ccls. and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:25
S4	45	S3 and ("hard disk" or "storage device") with (ROM or supervis\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:17
S5	3	S3 and ("hard disk" or "storage device") with (supervis\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:25
S6	1208	713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:25
S7	404	S6 and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/01 14:25
S8	2	S7 and ("hard disk" or "storage device") with (supervis\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:44
S9	8	"hard disk" with "data protection" and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:51

S10	156	supervis\$4 with stor\$3 with ROM and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:53
S11	23	supervis\$4 near3 stor\$3 near3 ROM and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:54
S12	0	(supervis\$4 near3 stor\$3 near3 ROM) same "data protection" and @ad <= """19980509"""	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:54
S13	0	(supervis\$4 near3 stor\$3 near3 ROM) and "data protection" and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 08:59
S14	0	"711"/\$ and (supervis\$4 near3 stor\$3 near3 ROM) and "data protection" and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:00
S19	13098	"711"/\$ and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:03
S20	2	"711"/\$ and supervis\$ with stor\$3 with ROM and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:02
S21	3	"713"/\$ and supervis\$ with stor\$3 with ROM and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:02
S22	2	"711"/\$ and "data protection" with supervisor and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:04
S23	. 163	"711"/\$ and "data protection" and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:04

S24	0	"711"/\$ and "data protection" and (ROM near6 stor\$3 near6 (hard adj dis\$1)) and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 09:05
S25	2	"711"/\$ and "data protection" and (ROM same stor\$3 same (hard adj dis\$1)) and @ad <= "19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:01
S26	94	("6092161" "6526488" "6684309" "5657473" "5802363" "5764593" "6000023" "6173291" "5930831" "6192456" "6377958" "6453383" "6615365" "5675769" "5694600" "5706472" "6026463" "6073220" "6088778" "6108759" "6175904" "6178487" "6185575" "6185666" "6202118" "5692190" "6286087" "6795912" "6732230" "6567887" "5826012" "5835935" "5559960" "5544356" "5592669" "5630093" "6230285" "6748511" "5787491" "6167494" "5537540" "5708776" "5974567" "6032239" "5781795" "5944820" "5214695" "6144960" "6253300" "5829045").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/03/02 12:06
S27	1	S26 and ("hard disk" with ((data near protect\$3) or supervis\$3) with ("cost effective" or cost or efficient\$3 or better or cheap\$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:14
S28	. 6	S26 and ("hard disk" with ((data near protect\$3) or supervis\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:16
S29	. 6	S26 and (hard adj dis\$1 with ((data near protect\$3) or supervis\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:23
S30	14	713/200.ccls.and (hard adj dis\$1 with ((data near protect\$3) or supervis\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:24
S31	7	713/200.ccls.and (hard adj dis\$1 with ((data near protect\$3) or supervis\$3)) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:35

S32	2	711/152.ccls.and (hard adj dis\$1 with ((data near protect\$3) or supervis\$3)) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:35
\$33	26	713/200.ccls.and (storage with ((data near protect\$3) or supervis\$3)) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:33
S34	409	711/163.ccls. and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:33
.S36	119	711/163.ccls. and (protect\$3 near3 data) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:43
S40	2	711/163.ccls. and (protect\$3 near3 data) and (supervis\$3 same stor\$3 same (ROM or "read only memory" or "read-only memory")) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:45
S41	1	711/163.ccls. and (protect\$3 near3 data) and (supervis\$3 with stor\$3 same (ROM or "read only memory" or "read-only memory")) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:46
S42		711/163.ccls. and (protect\$3 near3 data) and (supervis\$3 same stor\$3 same (ROM or "read only memory" or "read-only memory")) and @ad <="19980509"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 13:46